

- Bacillus amylovorus*, 58; *radicicola*, 189; *radiobacter*, 189
- Bacterium Cannae*, 272, 340; *Hederae*, 336; *marginatum*, 353; *solanaecearum*, 266; *tumefaciens*, 2, 3, 4, 6, 7, 8, 9, 10, 11
- Bagnisiopsis*, 289; *peribebuyensis*, 289
- Balsania*, 287, 288, 297; *subnodosa*, 287, 288
- Behavior of crown gall on the rubber plant, 1
- Behavior of telia of *Puccinia graminis* in the south, The, 111
- Berberis*, 317, 319, 321; *Fendleri*, 316, 317, 318, 319, 321; *trifoliolata*, 113; *vulgaris*, 321
- Beta vulgaris*, 105
- Bolete from Porto Rico, A new, 60
- Boleto-lichen*, 204, 207; *vulgaris*, 219, 229
- Boletus*, 56, 204, 207; *albus*, 225, 228; *incarnatus*, 87; *leucophaeus*, 212, 229; *lilacinus*, 92; *nitidus*, 94; *sanguinolentus*, 90; *vitellinus*, 172
- Botrytis*, 277
- Bouteloua curtipendula*, 101; *raccmosa*, 101
- Brachysporium Trifolii*, 126
- Brodiaea Douglasii*, 110
- Bromus*, 19, 321, 322; *ciliatus*, 234; *tectorum*, 101
- Bryophyllum*, 7
- Bucida buceras*, 291, 300
- Bullaria*, 233
- Burlingham, G. S., Some new species of *Russula*, 129
- Caecoma confluens*, 102; *occidentalis*, 107
- California Hypogaeous fungi—*Tuberaceae*, 301
- Calostoma*, 339; *Ravenelii*, 339
- Cancers, Studies of plant, 1
- Carex*, 15, 16, 17, 234; *aquatilis*, 235; *gracillima*, 17; *lanuginosa*, 235; *nebraskensis*, 103, 235; *pubescens*, 17; *trichocarpa*, 235
- Carpinus*, 157
- Cassia fistula*, 293; *grandis*, 293, 300
- Castanea*, 158; *dentata*, 165; *vesca*, 155
- Catacauma*, 276
- Cercis*, 165; *canadensis*, 165
- Cercosphaerella*, 347
- Cercospora*, 347, 348
- Ceromyces communis*, 194; *flaviporus*, 194; *subtomentosus*, 194; *tomentipes*, 194; *viscidus*, 194
- Ceuthospora*, 156; *concava*, 155, 163, 164, 167; *phacidoides*, 156; *Rubi*, 161, 163, 164
- Chamaesyce Greenei*, 106; *rugulosa*, 106
- Chardon, C. E., A contribution to our knowledge of the Pyrenomycetes of Porto Rico, 279
- Chenopodium*, 20; *album*, 20, 105
- Chloris petraea*, 289, 299
- Chrysopsis horrida*, 107
- Cicada septendecim*, 82
- Cicada*, A fungous parasite of the, 72
- Cirsium arvense*, 109
- Citrus*, 59, 64, 197, 273, 274, 275, 277, 353; *nobilis*, 275
- Clavaria*, 335
- Cladochytrium*, 114
- Cladosporium Citri*, 351
- Clathrotrichum*, 353
- Clematis*, 19; *Flammula*, 19; *ligusticifolia*, 19, 103; *virginiana*, 19
- Cleome*, 20
- Clitocybe*, 42; *dealbata*, 42, 44; *sudorifica*, 44, 198
- Clitocybe sudorifica* as a poisonous mushroom, 42
- Coccolobis nivea*, 115; *uvifera*, 283, 299
- Cocos nucifera*, 295
- Cogswellia*, 104
- Coleosporium*, 63; *Ribicola*, 106
- Colletotrichum gloeosporioides*, 272
- Conocephalum conicum*, 196
- Contribution to our knowledge of the Pyrenomycetes of Porto Rico, 279
- Coprinus sterquilinus*, 336
- Cornus*, 140, 165; *canadensis*, 165
- Coronaria myrtifolia*, 158
- Corticium salmonicolor*, 197; *vagum*, 125, 341, 354
- Cortinari*, 118
- Crataegus*, 45, 48, 195; *Calpodendron*, 49; *coccinea*, 49; *coccinioides*, 49; *Crus-galli*, 49; *Jesupi*, 49; *macrosperma*, 49; *Margaretta*, 49; *neofluvialis*, 49; *pausiaca*, 49; *pruinosa*, 49; *punctata*, 49, 235; *straminea*, 49; *succulenta*, 49
- Crataegus*, Observations on the infection of, by *Gymnosporangium*, 45
- Craterium*, 333
- Creonectria Bainii*, 284; *grammicospora*, 284; *ochroleuca*, 284; *rubicarpa*, 285
- Cronartium*, 108; *Comandrae*, 106; *filamentosum*, 106; *occidentale*, 108; *pyriforme*, 106; *ribicola*, 64, 337
- Crown gall on the rubber plant, 1
- Crucibulum*, 115, 116; *vulgare*, 65, 115
- Cryptobasidium*, 274
- Cryptosporella*, 354
- Culture work, Nineteen years of, 12

- Cultures of Uredineae, 1899-1917.  
 Memoranda and index of, 230  
 Cup-fungi, Photographs and descriptions of, 67  
 Cupressus thuyoides, 86, 95  
 Cyathea, 298  
 Cyathus, 115, 116; fascicularis, 65, 115; striatus, 65, 115  
 Cycloporus Greenei, 57  
 Cylindrocladium scoparium, 337  
 Cylindrocolla faecalis, 56, 62  
 Cylindrosporium, 195, 348  
 Cytospora chrysosperma, 124, 127, 338
- Dacryomyces, 136, 153, 155; lythri, 152, 162, 163, 167  
 Daedalea, 177; sulphurella, 177  
 Datura, 272  
 Delastria rosea, 312  
 Dendrophoma, 62  
 Descriptions of cup-fungi, Photographs and, 67  
 Diachaea, 330  
 Diatrype Hochelagae, 327; stigma, 327; Theae, 327  
 Dicaeoma, 114  
 Didymella, 354  
 Diehl, W. W., The fungi of the Wilkes expedition, 38  
 Diplodia, 125, 348; rapax, 125  
 Diplodina, 348  
 Dirca, 19; palustris, 234  
 Discina, 67, 68; ancilis, 68, 69, 71; **apiculata**, 69, 70; **convoluta**, 69, 70, 71; helvetica, 69; leucoxantha, 68, 69, 71; perlata, 68, 69; Warnei, 69  
 Discina, North American species of, 67  
 Distichlis, 18; spicata, 16, 20  
 Dodge, B. O., and Shear, C. L., The life history and identity of "Patellina Fragariae," "Leptothyrium macrothecium," and "Peziza Oenotherae," 135  
 Dothichloe, 286, 287, 288, 297; Aris-tidae, 287, 288, 299; atramentosa, 286, 287, 289, 299; nigricans, 287; **subnodosa**, 287, 288, 299  
 Dothidina, 290; Miconiae, 289; **peribebuyensis**, 289, 300  
 Dothiorella, 348  
 Drepanocarpus lunatus, 292, 300  
 Duchesnia, 165; indica, 165  
 Durand, E. J., New or noteworthy Geoglossaceae, 184
- Echinodontium tinctorium, 116  
 Elaphomyces, 302, 312; variegatus, 313  
 Elasmomyces, 194; russuloides, 193, 194
- Elvela, 203, 204, 207; albella, 219; fuliginosa, 219; infula, 209; Mitra, 212; monacella, 212; pallida, 210; Pineti, 204; spadicea, 225  
 Elvella, 204, 207  
 Elymus, 19, 112, 113; australis, 111, 112, 113; canadensis, 104, 316, 321; condensatus, 103, 104, 315; Macounii, 104; virginicus, 19, 316, 318, 321  
 Empusa Muscae, 82  
 Endogone macrocarpa, 313  
 Entoloma albidum, 338; lividum, 338  
 Entomopeziza Soraueri, 349  
 Entomophthora arrenoctona, 74; Aulicae, 80; caroliniana, 74; Muscae, 81; pseudococci, 80  
 Entomosporium, 349  
 Epichelidium, 354  
 Epichloe, 287, 288; nigricans, 288  
 Epilobium, 140, 147, 153, 170; angustifolium, 165; spicatum, 142  
 Erigeron arenarioides, 235  
 Eriocoma cuspidata, 101  
 Erysimum, 20  
 Erythroxyton Coca, 354  
 Eucalyptus globulus, 165  
 Eugenia, 294, 300; vulgaris, 159, 165  
 Euphorbia, 110  
 Eutypa, 354  
 Eutypella, 354  
 Excipula, 136  
 Exobasidium reticulatum, 326
- Favolus platyporus, 39  
 Ficus elastica, 1, 2, 3, 7, 9, 10, 11, 63, 197  
 Fomes fraxineus, 55; fraxinophilus, 52; geotropus, 191; ignarius, 354; laricis, 124; pinicola, 124; ulmaris, 191  
 Fragaria, 140, 165; mexicana, 165; virginiana, 165; virginiana chilensis, 165  
 Fruit-disease survey, 50  
 Fuligo, 332  
 Fungi, New Japanese, 323  
 Fungi of the Wilkes expedition, 38  
 Fungi, Some New Hampshire, 24  
 Fungi, California Hypogaeous, 301  
 Fungoides, 204, 207  
 Fungous parasite of the periodical Cicada, 72  
 Fusarium, 126, 188, 197, 352; cubense, 56; oxysporium Nicotianae, 192; trichothecioides, 352; vasinfectum, 340  
 Fuscoporia, 119, 275; **nebulosa**, 119; **tenerrima**, 119

- Ganoderma, 64  
 Garrett, A. O., Smuts and rusts of Utah—IV, 101  
 Gautheria procumbens, 165  
 Gaura, 161; biennis, 165, 235  
 Gautieria, 304; morelliformis, 193  
 Genea, 62, 194, 304, 306; arenaria, 306; cerebriformis, 307; compacta, 305; cubispora, 62; Gardnerii, 193, 194, 307; Harknessii, 193, 306, 307  
 Geoglossaceae, New or noteworthy, 184  
 Geoglossum intermedium, 184; pumilum, 184; pygmaeum, 185; Rehmi-anum, 186  
 Geopora Harknessii, 193, 311  
 Geranium, 4, 165; maculatum, 160  
 Gladiolus, 353  
 Gloeosporium, 153, 157, 160, 167, 275, 349; Bombacis, 275; Gossypii, 340; rhoinum, 146, 154, 162; rhois Fuckelii, 154; tremellinum, 145, 153, 162  
 Glomerella, 167, 348  
 Gloniopsis Gloniopsis, 116  
 Gnomonia, 349  
 Gnomoniella, 349  
 Grifola Berkeleyi, 267; flavovirens, 55; gigantea, 267  
 Grossularia inermis, 102; leptantha, 102, 108, 109  
 Guazuma ulmifolia, 291, 292, 300  
 Guignardia Vaccinii, 190  
 Gymnosporangium, 46, 195, 235, 353; corniculans, 233; exterum, 233; floriforme, 235; germinale, 46, 47, 48, 49; globosum, 46, 47, 48, 49; gracilens, 106; inconspicuum, 107; Juniperi-virginianae, 46, 48, 49; juvenescens, 108, 235, 246; Nelsoni, 102, 235, 246; trachysorum, 233  
 Gymnosporangium, Observations on the infection of Crataegus by, 45  
 Gymnosporium juniperinum, 109  
 Gyromitra, 205, 208, 209, 226; brunnea, 209; costata, 228; esculenta, 206, 209, 228; gigas, 228; infula, 225, 228; sphaerospora, 229  
 Gyroporus Earlei, 60, 198  
 Hainesia, 137, 140, 141, 142, 143, 144, 150, 152, 153, 154, 157, 158, 167; Castanea, 155, 163; Epilobii, 155, 163; Lythri, 136, 144, 146, 152, 155, 157, 159, 160, 162, 163, 164, 167, 169; rhoina, 146, 154, 163, 164; Rostropii, 155, 163; tremellina, 153  
 Haplophilus gilvus, 97  
 Helianthus annuus, 14, 104  
 Heliotropium spatulatum, 105  
 Helminthosporium, 128; pedunculatum, 116  
 Helvella, 201, 202, 203, 204, 205, 206, 207, 208, 209, 211, 213, 217, 218, 221, 222, 226, 227; acaulis, 228; adhaerens, 208, 210, 222, 223, 225, 228; alba, 210, 228; albella, 220, 228; albida, 206, 219, 228; albipes, 221; atra, 208, 210, 218, 223, 228, 229; capucinoides, 219, 221; costata, 228; crispa, 205, 206, 207, 208, 209, 210, 212, 213, 214, 228, 229; elastica, 206, 207, 208, 209, 210, 219, 220, 221, 222, 223, 224, 228, 229; elastica fusca, 222, 224, 228; ephippium, 206, 207, 208, 209, 218, 219, 224, 227, 228, 229; esculenta, 206, 209, 228; fuliginosa, 228; gigas, 228; gracilis, 219, 220, 221, 228; grandis, 225, 228; hispida, 228; infula, 209, 223, 225, 228; lacunosa, 205, 206, 207, 208, 209, 212, 213, 214, 215, 217, 228, 229; lacunosa pallida, 210, 229; leucophaea, 210, 229; macropus, 206, 207, 226, 227, 229; macropus brevis, 207, 227, 229; mitra, 206, 210, 219, 229; mitra alba, 210, 229; mitra fulva, 210, 229; mitra pratensis, 212; monacella, 229; Monachella, 206, 207, 210, 225, 226, 229; nigra, 209, 217, 229; nigricans, 223, 229; nivea, 210, 229; palustris, 209, 214, 216, 217, 229; pezizoides, 224; pleophora, 215, 229; Queletiana, 209, 215, 217, 229; spadicea, 229; sphaerospora, 229; subcostata, 217; sulcata, 212, 213, 214, 217, 229; venosa, 215, 229  
 Helvella, Massachusetts species of, 201  
 Hendersonia Theae, 328  
 Herpotrichia, 295; albidostoma, 295; diffusa, 295; diffusa rhodomphala, 295  
 Heteroecism of Puccinia montanensis, P. Koeleriae, and P. apocrypta, 315  
 Heteromeles, 313  
 Heterotrichum cymosum, 290  
 Hevea brasiliensis, 125  
 Hicoria glabra, 165  
 Hieracium griseum, 104  
 Hilaria Jamesii, 101  
 Himantia, 60  
 Hordeum caespitosum, 101; jubatum, 104, 316, 317  
 Hydnangium, 194  
 Hydnoholites, 304; californicus, 312  
 Hydnotrya ellipsospora, 307

- Hydnotryopsis Setchellii, 312  
 Hydrophyllum, 19, 316, 317, 318, 320, 321, 322; capitatum, 316, 318, 322  
 Hymenogaster, 194, 305  
 Hymenula, 145; rhoina, 154, 163, 164  
 Hypholoma, 265  
 Hypocrea, 286; atramentosa, 287, 289  
 Hypocrella, 286, 287, 298  
 Hypoderma, 137  
 Hypodermopsis Theae, 323  
 Hypogaeous fungi, California, 301  
 Hypolysus Montagnei, 121  
 Hyponectria Phaseoli, 115, 284  
 Hypospila, 349  
 Hypoxylon annulatum, 295, 299  
 Hysterangium, 193, 194, 304  
 Hystrix Hystrix, 317, 318
- Ichnanthus pallens, 288, 299  
 Ickis, M. G., and Anderson, P. J., Massachusetts species of Helvella, 201  
 Idaho, Smuts and rusts of southern, 179  
 Identity of "Patellina Fragariae," "Leptothyrium macrothecium," and "Peziza Oenotherae," 135  
 Impatiens, 19, 331  
 Index of cultures of Uredineae, 1899-1917, 230  
 Index to American mycological literature, 62, 126, 195, 272, 351  
 Infection of Crataegus by Gymnosporangium, Observations on the, 45  
 Inocybe, 62, 115  
 Irpex, 177  
 Isoachlya, 274, 336; toruloides, 274, 336  
 Ivesia Gordonii, 103
- Jambosa vulgaris, 159, 165  
 Japanese fungi, New, 323  
 Juniperus scopulorum, 102, 108; siberica, 109; utahensis, 102, 107; virginiana, 45, 235
- Kentrophyta impensa, 105  
 Klebahn on life histories of Ascomycetes, Review of, 346  
 Koeleria cristata, 19, 317, 319  
 Kunkelia, 63
- Laboulbenia formicarum, 62  
 Lachnea macropus, 229  
 Laciniaria, 19  
 Lactaria atroviridis, 56; Indigo, 56  
 Lactuca, 235  
 Lembosia, 281, 282, 298; Agaves, 283; Coccolebae, 283; Dendrochili, 281, 282, 283, 284; diffusa, 282, 283; Drymidis, 281; macula, 281; melastomatum, 282, 299; microspora, 282, 299; tenella, 281, 282, 283, 299  
 Lepidium, 20, 234; perfoliatum, 105  
 Leptopodia, 207, 208, 209; albella, 219, 220, 221, 228; atra, 223, 228; elastica, 219, 228  
 Leptosphaeria Coniothyrium Theae, 324; Hottai, 324  
 Leptothyrium, 137, 349; acerinum, 156; borzianum, 159, 163; Lunariae, 147; macrothecium, 137, 147, 157, 158, 163, 164, 354; macrothecium rhois, 157; protuberans, 138, 158, 163, 164; rhois, 154, 157  
 "Leptothyrium macrothecium," The life history of, 135  
 Levine, Michael, Studies on plant cancers—II, The behavior of crown gall on the rubber plant (Ficus elastica), 1  
 Life histories of Ascomycetes, Review of Klebahn on, 346  
 Life history and identity of "Patellina Fragariae," "Leptothyrium macrothecium," and "Peziza Oenotherae," 135  
 Light-colored resupinate polypores—III, 83; —IV, 171  
 Lipospora, 191, 349; Trichostigmae, 115; tusconensis, 191  
 Lophidiopsis, 354  
 Lophiotrema Peckiana, 116  
 Lycopsis arvensis, 236, 246  
 Lythrum, 155; Salicaria, 165
- Macbride, T. H., Some of the ways of the slime mould, 329  
 Macropodia, 209; macropus, 209, 226, 229  
 Macrosporium, 64  
 Madronella oblongifolia, 104  
 Mahonia, 19, 319; Aquifolium, 319, 321, 322  
 Mains, E. B., The heteroecism of Puccinia montanensis, P. Koeleriae, and P. apocrypta, 315  
 Malus glaucescens, 45, 48, 49  
 Marasmius, 60, 121  
 Marssonina, 349  
 Massachusetts species of Helvella, 201  
 Massospora, 77; cicadina, 72, 73, 74, 80, 81, 82, 276; Staritzii, 73  
 Massospora cicadina Peck, a fungous parasite of the periodical Cicada, 72  
 Medicago sativa, 110  
 Melampsora albertensis, 107; confluens, 102  
 Melampsorella elatina, 103

- Melanogaster, 194, 305  
 Melanomma, 354  
 Melanops, 348  
 Meliola, 298  
 Memoranda and index of cultures of  
   Uredineae, 1899-1917, 230  
 Mentha spicata, 104  
 Merulius, 92, 95, 98; incrassatus, 98;  
   lacrymans, 59; Ravenelii, 95; spis-  
   sus, 98  
 Miconia, 290, 300; laevigata, 290;  
   prasina, 283, 290, 299; Sintenisii,  
   290  
 Micrococcus Populi, 57  
 Microglossum longisporum, 185  
 Micropodia, 150  
 Mitra, 204  
 Mitrula gracilis, 185; muscicola, 185  
 Mollisia, 162; cinerea, 162; Oeno-  
   therae, 161, 163, 167  
 Morchella, 204, 209  
 Murrill, W. A., A new bolete from  
   Porto Rico, 60; Light-colored re-  
   suplicate polypores—III, 83; —IV,  
   171; The fruit-disease survey, 50  
 Musa textilis, 56  
 Mycena Atkinsoni, 116, 196; filopes,  
   116  
 Mycosphaerella, 346, 347, 348; cera-  
   sellia, 347, 348; Fragariae, 347;  
   maculiformis, 347; punctiformis,  
   347  
 Myosotis palustris, 316  
  
 Nectria galligena, 190; rubicarpa, 285  
 Neotoma, 303  
 New bolete from Porto Rico, 60  
 New Hampshire fungi, 24  
 New Japanese fungi. Notes and trans-  
   lations—X, 323  
 New or noteworthy Geoglossaceae, 184  
 New species of Russula, 129  
 Nineteen years of culture work, 12  
 North American species of Discina,  
   67  
 Notes and brief articles, 54, 114, 188,  
   263, 335  
 Noteworthy Geoglossaceae, 184  
 Nummularia Bulliardii, 296; cineta,  
   296, 299; discreta, 297; punctulata,  
   296, 299; repanda, 297  
 Nyctelea, 322; Nyctelea, 316  
 Nyssa sylvatica, 165  
  
 Observations on the infection of Cra-  
   taegus by Gymnosporangium, 45  
 Ocotea, 274; leucosylon, 282, 299  
 Octospora villosa, 229  
 Odontia, 354  
 Oenothera, 140, 147, 149, 153, 161,  
   165; biennis, 137, 165, 167  
 Oidium lactis, 126  
 Onagra biennis, 235  
 Onygena equina, 62  
 Ophiodothia, 287  
 Ophiognomonia, 349  
 Ophionectria portoricensis, 285, 299  
 Oryzopsis hymenoides, 101, 105  
 Overholts, L. O., Some New Hamp-  
   shire fungi, 24  
  
 Pachyphloeus citrinus, 313  
 Parasite of the periodical Cicada,  
   72  
 Parks, H. E., California hypogaeous  
   fungi—Tuberaceae, 301  
 Patellina, 135, 136; Fragariae, 135,  
   136, 155, 163, 354  
 "Patellina Fragariae," "Leptothyrium  
   macrothecium," and "Peziza Oeno-  
   therae," The life history and iden-  
   tity of, 135  
 Pelargonium, 142, 152; capitatum, 142,  
   160, 165; zonale, 160, 165  
 Penicillium, 342; expansum, 126;  
   spiculisporum, 63  
 Peridermium, 108; coloradense, 108;  
   elatinum, 103; filamentosum, 106;  
   floridanum, 63; Harknessii, 63;  
   pyriforme, 106  
 Peronospora, 354; Hyoscyami, 338  
 Pestalozzia, 62; scirrofaciens, 56, 62  
 Peziza, 67, 308; ancilis, 67, 69; apicu-  
   lata, 68, 70; cinerea, 162; elaeodes,  
   68, 70; leucoxantha, 71; macropus,  
   206, 207, 229; Oenotherae, 153, 161,  
   163, 164, 167, 354; perlata, 67, 69;  
   stipitata, 229; sublicia, 229; venosa,  
   70; Warnei, 68, 69  
 "Peziza Oenotherae," The life history  
   of, 135  
 Pezizella, 141, 142, 149, 150, 152, 161,  
   162, 168; **Lythri**, 136, 149, 151, 153,  
   154, 155, 156, 157, 158, 159, 160,  
   161, 162, 163, 164, 167, 168, 169,  
   170; Oenotherae, 137, 141, 142, 143,  
   160, 161, 162, 168  
 Phacelia, 322; Purshii, 316  
 Phaeopezia apiculata, 70  
 Phaetripe, 64  
 Phallus, 204, 207; crispus, 210, 228;  
   lobatus, 210; monacella, 225, 229  
 Phaseolus, 115; adenantus, 284  
 Philadelphus occidentalis, 106  
 Phleospora, 346, 347, 348  
 Phleum pratense, 111  
 Pholiota, 265  
 Phoma citricarpa, 352; protuberans,  
   158, 164  
 Photographs and descriptions of cup-  
   fungi—IX. North American species  
   of Discina, 67

- Phragmidium affine, 103; Horkeliae, 103; imitans, 109; Ivesiae, 103; montivagum, 103
- Phragmites communis, 21
- Phyllachora, 284, 289; biareolata, 294; canafistulae, 292, 293, 300; Cassiae, 293; duplex, 293; Guazumae, 291; peribebuyensis, 289; Phaseoli, 284; **Serjaniicola**, 293, 300; Whetzelii, 293, 300
- Phytophthora, 63, 198, 274
- Picea Engelmanni, 108; rubens, 26
- Pilidium, 156, 158; acerinum, 156, 157, 159
- Pinus austriaca, 99; edulis, 108; ponderosa scopulorum, 106; radiata, 97; sylvestris, 84, 88
- Plant cancers, Studies on, 1
- Plasmodiophora Brassicae, 60; vascularum, 60, 127
- Pleurage arachnoidea, 294
- Pluteus cervinus, 190; praerugosus, 198
- Poa Fendleriana, 103
- Podostroma, 286; **orbiculare**, 286, 299
- Poisonous mushroom, Clitocybe sudorifica as a, 42
- Polygonum, 21; alpinum, 109
- Polypores, Light-colored resupinate,—III, 83; —IV, 171
- Polyporus albocarneo-gilvidus, 92; amarus, 114; applanatus, 64; attenuatus, 83; aurantiopallens, 172; Blyttii, 83; bombycinus, 173; Broomei, 87; brunneolus, 39; Büttneri, 123; byssoideus, 100; carneopallens, 84, 85; cavernulosus, 100; chrysobaphus, 173; cinctus, 87; colabens, 83; cruentatus, 96; emolitus, 83; epilinteus, 84, 85; euporus, 83; Fendleri, 84, 85; Fuligo, 123; haematodes, 95; incarnatus, 87; induratus, 55; lactificus, 96; leucolomus, 172; mutans, 97; nebulosus, 119; obliquus, 96; odoratus, 87; oxydatus, 92; pineus, 98; pulchellus, 178; purpureus, 92; Ravenalae, 123; sanguinolentus, 90; salmonicolor, 96; Schweinitzii, 124; sorbicola, 95; spissus, 96; subliberatus, 87; sulphurellus, 171; tenerrimus, 119; undatus, 87; vinctus, 84; violaceus, 92; vitreus, 88; volvatus, 354
- Polystictus versicolor, 58
- Poncirus trifoliata, 59
- Populus caroliniana, 124; grandidentata, 124; nigra italica, 165; tremuloides, 107, 124
- Poria, 95, 98, 118, 194; **albirosea**, 85; albocincta, 122, 123; attenuata, 83, 94; attenuata subincarnata, 86; aurantio-canescens, 93; aurantiopallens, 172; aurantiotinctus, 90; aurea, 171; Blyttii, 83; borbonica, 89; **Bracei**, 91; calcea sulphurea, 178; **Calkinsii**, 175; callosa, 87, 88; Caryae, 99; cassicola, 85; cavernulosa, 100; chrysobapha, 173; chrysoloma, 176; corticola, 88, 89; cremeicolor, 178; crocipora, 96; **Dodgei**, 87; Dusenii, 100; eupora, 83, 85, 86, 94; fatiscens, 178; favillacea, 94; **flavida**, 174; **flavilutea**, 176; flavipora, 174; Fuligo aurantiotinctus, 122; glauca, 123; graphica, 123; heteromorphia, 178; holoxantha, 178; incarnata, 87, 95; incerta, 172, 178; incrassata, 98; **jalapensis**, 177; lateritia, 90; leucolomea, 172; lilacina, 85; medullapanis, 176, 178; micans, 92; mutans, 93, 96, 97; mutans tenuis, 93, 94; myceliosa, 178; nebulosa, 119; nigrescens, 87, 88; nitida, 83, 93, 94; nitida crocea, 94; **ochracea**, 174; **Parksii**, 175; pavonina, 94; phlebiaeformis, 96; pinea, 98; purpurea, 91, 92, 93; radiculosa, 178; saloisensis, 98; sanguinolenta, 90; semitincta, 178, 341; spissa, 94, 96, 98; subacida, 171, 176, 178; **subbadia**, 93; **subincarnata**, 84, 86, 172; **subradiculosa**, 175; subrufa, 95; sub-sulphurea, 178; **subundata**, 86; subviolacea, 99; sulphurella, 171; taxicola, 92, 93, 95, 98; tegillaris, 173; tenerrima, 119; undata, 87, 88; vincta, 84, 94, 99; violacea, 91, 92, 95, 99; vitellina, 172, 176; vitrea, 88; xantha, 176; xantholoma, 178
- Porto Rico, A contribution to our knowledge of the Pyrenomyces of, 279
- Porto Rico, A new bolete from, 60
- Potentilla, 157, 159, 160; canadensis, 165; pulcherrima, 103
- Protocoronospora nigricans, 128
- Protomyces, 72, 354
- Prunus, 161; serotina, 165
- Pseudobalsamia magnata, 193, 312; magnata nigra, 313
- Pseudodiplodia, 354
- Pseudohaplosporella, 354
- Pseudomonas Apii, 274; Citri, 59, 198; Phaseoli, 336
- Pseudopeziza, 167; Populi-albae, 349; ribis, 349; salicis, 349
- Pseudotsuga mucronata, 107
- Ptilocalais tenuifolia, 105
- Puccinia, 16, 233, 235; additicia, 191;

- Agropyri, 19, 20, 233, 236; albi-  
 peridia, 17, 233; alternans, 20, 233,  
 236; amphigena, 234; Antirrhini,  
 109; apocrypta, 109, 236, 315, 318,  
 320, 321, 322; arcticum, 58; Arrhe-  
 natheri, 321; Asterum, 15; bro-  
 mina, 321, 322; Burnettii, 102; car-  
 icina, 20; Caricis, 20, 103; Caricis-  
 Asteris, 14, 233; Caricis-Erigeron-  
 tis, 14, 233; Caricis-Solidaginis, 14,  
 233; Caricis-strictae, 235; Ceanothi,  
 231; cinerea, 19, 20; Clematidis, 20,  
 63, 103; dispersa, 315, 321; Dis-  
 tichlidis, 18; Eatoniae, 22, 233; ex-  
 tensicola, 15, 16; fraxinata, 231,  
 235; Garrettii, 235; graminis, 22,  
 23, 104, 111, 113, 124, 128, 198, 276;  
 Grindeliae, 107; Grossulariae, 17,  
 236; Helianthi, 14, 104; Hieracii,  
 104; hynoidea, 234; Impatiensis, 19,  
 63; interveniens, 102; irrequisita,  
 191; Isiacae, 21; Jonesii, 104; Koe-  
 leriae, 233, 315, 319, 320, 321, 322;  
 lateripes, 21; Liatridis, 19; Mal-  
 vastri, 105; Menthae, 104; micran-  
 tha, 109; Monardellae, 104; mon-  
 tanensis, 104, 236, 315, 316, 317,  
 318, 319, 320, 321; oblitterata, 20,  
 233; pacifica, 191; Paniculariae,  
 233; patruelis, 233; Pattersoniana,  
 104, 110; peridermiospora, 231;  
 quadripurula, 236; rubigo-vera, 18,  
 20; Ruelliae, 21; rugosa, 105; seca-  
 lina, 315, 321, 322; Sherardiana,  
 105; Stipae, 102; suavolens, 109;  
 substerilis, 105; subnitens, 16, 20,  
 21, 105; tomipara, 20, 233; triti-  
 cina, 19, 20, 111, 315; Troximontis,  
 105; tumidipes, 233; universalis,  
 233; Urticae, 103; Vernoniae, 233;  
 vulpinoidea, 15  
 Puccinia apocrypta, The heteroecism  
 of, 315  
 Puccinia graminis in the south, The  
 behavior of telia of, 111  
 Puccinia Koeleriae, The heteroecism  
 of, 315  
 Puccinia montanensis, P. Koeleriae,  
 and P. apocrypta, The heteroecism  
 of, 315  
 Pucciniella, 19  
 Pyrenopeziza cinnabarinus, 189  
 Pyrenomyces of Porto Rico, 279  
 Pyrenopeziza medicaginis, 160  
 Pythiaecystis, 63; citrophthora, 273  
 Pythium, 60; Debaryanum, 341  
 Quercus, 147, 157; agrifolia, 193;  
 alba, 165; rubra, 155, 165; velutina,  
 165  
 Ramularia, 347, 348  
 Ramularisphaerella, 347, 348  
 Ranunculus abortivus, 22; Cymbalaria,  
 19, 103  
 Ravenelia, 353; havanensis, 191  
 Ravenelula, 354  
 Resupinate polypores, Light-colored,—  
 III, 83; —IV, 171  
 Review of Klebahn on life histories  
 of Ascomycetes 346  
 Rhizina helvetica, 69; undulata, 228  
 Rhizoctonia, 60, 277  
 Rhizogene, 355  
 Rhizophora Mangle, 115  
 Rhizopus, 138, 195, 342; nigricans,  
 273; Tritici, 274  
 Rhododendron, 64  
 Rhus, 139, 140, 142, 154, 157, 165;  
 aromatica, 154; copallina, 154, 165;  
 Cotinus, 154, 165; glabra, 141, 154,  
 165; radicans, 155; Toxicodendrum,  
 165; typhina, 165  
 Ribes, 17, 126, 165, 337; aureum, 108;  
 cereum, 106, 108; inebrians, 106,  
 108; petiolare, 102; prostratum, 165  
 Ricinus, 4; communis, 354  
 Rickia, 355  
 Roberts, J. W., Clitocybe sudorifica as  
 a poisonous mushroom, 42  
 Rosa, 156, 157; neomexicana, 103;  
 puberulenta, 103; rugosa prostrata,  
 165  
 Rosellinia, 295  
 Rosen, H. R., The behavior of telia  
 of Puccinia graminis in the south,  
 111  
 Rostronitschkia, 298  
 Rubber plant, The behavior of crown  
 gall on the, 1  
 Rubus, 58, 127, 136, 137, 139, 140, 145,  
 149, 156, 157, 160, 161, 165; caesius,  
 155, 160; idaeus, 165; occidentalis,  
 165; pubescens, 58; setosus, 165;  
 strigosus, 58, 109, 165; strigosus  
 idaeus, 165; thyrsoideus, 161; tri-  
 florus, 58; villosus, 165  
 Ruellia ciliosa, 21; strepens, 21  
 Rumex paucifolius, 109  
 Russula, 133, 266, 351; aeruginea, 132;  
 bifida, 130; cyanoxantha, 132; dis-  
 parilis, 129; fragiliformis, 132; hetero-  
 phylla, 130, 132; **Hibbardae**, 129,  
 131, 132, 134; **praeumbonata**, 131,  
 134; purpurina, 134; **ornaticeps**,  
 129, 130, 131, 134; **redolens**, 131,  
 132, 133, 134; **simulans**, 129, 131,  
 134; **uncialis**, 134; **variata**, 130,  
 132; **viridi-oculata**, 129, 131, 132,  
 134  
 Russula, Some new species of, 129



- Rusts of northern Utah and southern Idaho, 179  
 Rusts of Utah, Smuts and,—IV, 101  
*Salix*, 161; *humilis*, 165; *Watsonii*, 102  
*Saprolegnia*, 336  
*Sarcoscypha macropus*, 229  
*Scleroderma*, 313  
*Sclerospora*, 277  
*Sclerotinia*, 196; *cinerea*, 65; *minor*, 189, 197  
*Sclerotium*, 140, 142, 147, 154, 155, 156, 158, 160, 167; *australasica*, 147, 156, 159, 163; *Cheiri*, 156; **CONCAVA**, 136, 147, 148, 149, 154, 155, 156, 157, 158, 159, 160, 161, 163, 164, 167, 170; *Pelargonii*, 142, 160, 163; *Potentillae*, 159, 160, 163; *Rubi*, 155, 160, 163  
*Sclerotium coffeicolum*, 355  
 Seaver, F. J., Photographs and descriptions of cup-fungi—IX. North American species of *Discina*, 67  
*Senecio*, 235  
*Septobasidium*, 276  
*Septoria*, 270, 346, 347, 348, 352; *Apii*, 191, 199, 269, 270; *Lycopersici*, 353; *nodorum*, 337  
*Septorisphaerella*, 347, 348  
*Serjania polyphylla*, 293, 300  
*Serpula rufa pinicola*, 95  
 Shear, C. L., Review of Klebahn on life histories of Ascomycetes, 346  
 Shear, C. L., and Dodge, B. O., The life history and identity of "*Patellina Fragariae*," "*Leptothyrium macrothecium*," and "*Peziza Oenotherae*," 135  
*Shepherdia canadensis*, 108  
*Sidalcea nervata*, 102  
*Sillia Theae*, 325  
*Sitanion clymoides*, 320; *Hystrix*, 101, 103; *jubatum*, 103  
 Slime mould, Some of the ways of the, 329  
*Smilax*, 140; *rotundifolia*, 165  
 Smuts and rusts of northern Utah and southern Idaho, 179  
 Smuts and rusts of Utah—IV, 101  
*Solanum carolinense*, 353  
*Solidago*, 15, 16  
 Some New Hampshire fungi, 24  
 Some new species of *Russula*, 129  
 Some of the ways of the slime mould, 329  
*Sophia*, 20, 234  
*Sorbus*, 235  
*Sordaria fimicola*, 294; *humana*, 294  
*Sorospora agrotidis*, 73; *uvella*, 73  
*Spartina*, 18, 234; *cynosuroides*, 246; *Michauxiana*, 246  
 Speare, A. T., *Massospora cicadina* Peck, a fungous parasite of the periodical Cicada, 72  
 Species of *Discina*, North American, 67  
 Species of *Helvella*, Massachusetts, 201  
 Species of *Russula*, Some new, 129  
*Sphaeralcea arizonica*, 105; *dissecta*, 105; *pedata*, 105; *subrhomboidea*, 105  
*Sphaerella*, 354  
*Sphaeronema*, 136, 144, 153; *corneum*, 138, 145, 153, 162, 163, 164  
*Sphaeropsis*, 348; *malorum*, 128  
*Sporobolus cryptandrus*, 235  
*Sporodinia grandis*, 56  
*Sporonema*, 160; *Castaneae*, 159; *du-bium*, 158, 159, 160, 163; *phacid-ioides*, 160; *pulvinatum*, 160, 163; *quercicolum*, 159, 163  
*Stagnospora Theae*, 324  
*Steironema*, 149, 160; *ciliata*, 165, 170  
*Stereum*, 196, 267; *caespitosum*, 268; *conicum*, 268; *durum*, 268; *Earlei*, 268; *erumpens*, 268; *heterosporum*, 268; *magnisporum*, 268; *patelli-forme*, 268; *petalodes*, 339; *pubes-cens*, 268; *purpureum*, 339; *saxitas*, 268; *sepium*, 268; *spumeum*, 268; *Willeyi*, 116  
*Stilbocrea hypocreoides*, 286; *inter-media*, 286  
*Stipa Lettermanni*, 105; *minor*, 102; *viridula*, 235  
*Stropharia*, 265  
 Studies on plant cancers—II. The behavior of crown gall on the rubber plant (*Ficus elastica*), 1  
*Suillus Eastwoodiae*, 194  
 Survey, The fruit-disease, 50  
*Symplocos*, 90; *martinicensis*, 90  
 Tanaka, T., New Japanese fungi. Notes and translations—X, 323  
*Taphrina*, 276  
*Teleutospora*, 191  
 Telia of *Puccinia graminis* in the south, The behavior of, 111  
*Terfeziopsis lignaria*, 310  
*Tetrazygia elaeagnoides*, 290  
*Thalictrum*, 19  
*Thea sinensis*, 323, 324, 325, 326, 327, 328  
*Thecaphora pustulata*, 273  
*Thelophora*, 267; *caryophyllae*, 277, 336; *fimbriata*, 277, 336; *lamellata*, 38; *terrestris*, 277, 336



- Thelocarpon albomarginatum*, 352  
*Thielavia basicola*, 53  
*Thuya occidentalis*, 95  
*Tibicina septendecim*, 72, 81, 82  
*Tinctoporia*, 122, 275; **albocincta**, 122; *aurantiotingens*, 122; **Fuligo**, 122, 123; **graphica**, 122, 123  
*Tipula paludosa*, 74  
*Trabutia*, 292; **Bucidae**, 290, 291, 300; **conica**, 292, 300; **Guazumae**, 291, 300; *portoricensis*, 115  
*Trabutiella*, 115; *Cordia*, 115  
*Trametes carnea*, 26; *Pini*, 124; *versatilis*, 100  
*Trenomyces*, 355  
*Trichia*, 333  
*Trichoglossum*, 351; **confusum**, 185, 186; *Farlowi*, 186; *hirsutum*, 187; *hirsutum braziliense*, 187; *hirsutum variabile*, 187; *hirsutum Wrightii*, 187; *Rehmianum*, 185; *velutipes*, 187; *Walteri*, 186; **Wrightii**, 187  
*Tricholoma terreum*, 266  
*Trichostigma octandra*, 115  
*Trifolium Kingii*, 107  
*Trisetum*, 22  
*Triticum aestivum*, 321; *dicoccum*, 127; *durum*, 127; *vulgare*, 101, 104, 127  
*Tropaeolum*, 105  
*Tsuga canadensis*, 86  
*Tuber*, 194, 302, 304, 310, 312; *californicum*, 194, 308; *candidum*, 193, 309, 310, 311; *lignarium*, 310, 311  
*Tuberaceae*, California, 301  
*Tubercularia*, 136, 144, 145; *rhoina*, 145; *rhois*, 155, 163; *zythioides*, 155, 163  
*Tyromyces caesius*, 56; *Smallii*, 99  
*Ulmus*, 165; *americana*, 119  
*Uredineae*, Memoranda and index to cultures of, 230  
*Urocystis Anemones*, 352  
*Uromyces*, 16, 233, 276; *acuminatus*, 231; *Brodieae*, 104, 110; *coordinatus*, 191; *effusus*, 233; *Eriogoni*, 106; *Euphorbiae*, 14, 106; *fuscatus*, 109; *intricatus*, 106; *medicaginis*, 110; *oblongus*, 107; *Peckianus*, 16; *perigynius*, 15, 20, 236; *Polemonii*, 18; *proemineus*, 106; *punctatus*, 105; *Solidagini-Caricis*, 233; *Steironematis*, 231, 233; *uniporulus*, 18  
*Urophlyctis*, 114; *Alfalfae*, 192, 197  
*Ustilago bromivora*, 101, 179; *Hieronymi*, 101; *hypodytes*, 101; *Lorentziana*, 101; *Tritici*, 101; *violacea*, 277  
*Ustulina*, 354  
 Utah, Smuts and rusts of northern, 179  
 Utah, Smuts and rusts of, —IV, 101  
*Vaccinium*, 165; *macrocarpum*, 160, 165  
*Valsa Theae*, 326  
*Valseptypella*, 127  
*Venenarius Wellsii*, 63  
*Verticillium Lycopersici*, 275  
*Vigna vexillata*, 115  
*Vitis*, 140; *cordifolia*, 165  
 Wilkes expedition, The fungi of the, 38  
*Xanthoporia Andersoni*, 178  
*Xylomyzon taxicola*, 95  
 Zundel, G. L., Smuts and rusts of northern Utah and southern Idaho, 179  
*Zythia Phaseoli*, 115